

Material Safety Data Sheet

ARALDITE AV121
MOUNTING
RESIN

Date prepared: 22nd March 1996

Date revised: N/A (first issue)

0CON-287

1. Identification of the Substance/Preparation and the Company/ Undertaking

Substance or preparation trade name: **ARALDITE AV121 MOUNTING RESIN**

Unique reference number(s): **0CON-287**

Company/undertaking name & address: **Logitech Ltd.,
Erskine Ferry Road, Old Kilpatrick, Glasgow
G605EU, Scotland, UK**

Telephone: **(+44) 1389 875444**

Emergency telephone number: **As above**

2. Composition

Substance: **Bisphenol-A epoxy resin**

% content: **21-29**

CAS number: **25068-38-6**

EEC Symbol: **Xi**

3. Hazards Identification

***Irritating to eyes and skin.
May cause sensitisation by skin contact.***

4. First Aid Measures

Inhalation: ***Move affected person to fresh air. In case of irritation of respiratory system or mucous membranes, or if you feel unwell or in case of prolonged exposure, get medical attention.***

Skin contact: ***Wipe with absorbent paper disposable towels. Wash with plenty of soap and water. Do not use organic solvents. In case of dermatitis, seek medical attention.***

Eye contact: ***Rinse immediately with water for at least 15 minutes and seek medical attention.***

Ingestion: ***Immediately rinse the mouth repeatedly with water. If swallowing has occurred drink plenty of water. Seek medical attention promptly.***

5. Fire-Fighting Measures

Suitable extinguishing media:	<i>Water mist, carbon dioxide, foam, dry powder.</i>
Unsuitable extinguishing media:	<i>High pressure water jet.</i>
Exposure hazards in fire:	<i>Do not release chemically contaminated water into drains, soil or surface water. Sufficient measures must be taken to retain water used for extinguishing. Dispose of contaminated water and soil according to local regulation.</i>

6. Accidental Release Measures

Personal precautions:	<i>Avoid contact with skin, eyes and clothing.</i>
Environmental precautions:	<i>Prevent contamination of soil, drains and surface waters.</i>
Methods for cleaning:	<i>Take up with absorbent, inert material and place in suitable and closable container for disposal.</i>

7. Handling and Storage

Handling:	<i>Irritant, sensitising. Ensure good ventilation and local exhaust. Do not eat, drink or smoke at the workplace.</i>
Storage:	<i>Keep away from food and drink. Store in the original container, securely closed and at room temperature.</i>

8. Exposure Controls

Technical protective measures:	<i>No special measures required.</i>
Exposure control limits, and source:	<i>None.</i>
Respiratory protection:	<i>Wear suitable gas mask when exposed to gas, vapour or aerosol.</i>
Hand protection:	<i>Wear suitable gloves.</i>
Skin protection:	<i>Wear overalls and closed footwear.</i>
Eye protection:	<i>Wear suitable goggles or face protection.</i>

Date prepared: 22nd March 1996

Date revised: N/A (first issue)

9. Physical and Chemical Properties

Appearance:	<i>Black viscous paste.</i>
Odour:	<i>Yes.</i>
pH:	<i>N/A</i>
Boiling point:	<i>>200°C</i>
Melting point:	<i>Not applicable.</i>
Flashpoint (°C):	<i>>230°C DIN 51758</i>
Flammability:	<i>N/A</i>
Autoflammability:	<i>N/A</i>
Explosive properties:	<i>N/A</i>
Oxidising properties:	<i>N/A</i>
Vapour pressure:	<i>N/A</i>
Density:	<i>1.65-1.75 mg/m³ at 25°C.</i>
Solubility in water:	<i>Practically insoluble at 20°C.</i>

10. Stability and Reactivity

Thermal Decomposition:	<i>>200°C</i>
Conditions to avoid:	<i>Static discharges.</i>
Materials to avoid:	<i>Strong acids, strong bases and strong oxidizing agents.</i>
Hazardous decomposition products:	<i>Thermal decomposition or burning may release oxides of carbon and other toxic gases or vapours.</i>

11. Toxicological Information

LD ₅₀ Acute oral toxicity (rats):	<i>>3600 mg/kg</i>
Eye irritation (rabbits):	<i>Not irritant.</i>
Skin irritation (rabbits):	<i>Not irritant.</i>
Skin sensitisation (guinea pigs):	<i>May cause sensitisation by skin contact.</i>

12. Ecological Information

Prevent contamination of soil, drains or surface water.

LC ₅₀ Zebra fish (96h):	N/A
LC ₅₀ Rainbow trout (96h):	N/A
EC50 Daphnia magna (24h):	N/A
Biodegradability (Sturm test):	N/A
Algae Inhibition Test:	N/A
Sludge toxicity:	N/A

13. Disposal Considerations

Incineration or landfill in accordance with local regulations. Contaminated packaging materials should be disposed of identically to the product itself. Packaging materials that are not contaminated should be treated as household waste or as recycling material.

14. Transport Information

RID/ADR:	Free
IMDG-Code:	Free
IATA:	Free
Flashpoint:	>230°C DIN 51758

15. Regulatory Information

Symbol:	<i>Xi</i>
Contains:	<i>Bisphenol-A epoxy resin (MW ??700)</i>
R36/38:	<i>Irritating to eyes and skin.</i>
R43:	<i>May cause sensitisation by skin contact.</i>
S28:	<i>After contact with skin, wash immediately with plenty of water and soap.</i>
S37/39:	<i>Wear suitable gloves and eye/face protection.</i>

NOTE: THIS DATA SHEET DOES NOT CONSTITUTE A USER'S ASSESSMENT OF WORKPLACE RISK AS REQUIRED BY HSW ACT, COSHH, MANAGEMENT OF HEALTH AND SAFETY AT WORK REGULATIONS, OR OTHER HEALTH AND SAFETY LEGISLATION.

Date prepared: 22nd March 1996

Date revised: N/A (first issue)

16. Other Information

Recommendations/restrictions:	<i>The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.</i>
Use:	<i>Araldite AV121N is used with various hardeners for adhesives for general industrial applications.</i>
Sources of key data used to compile Safety Data Sheet:	<i>Croner's Hazard Information and Packaging, 3/95</i>
Abbreviations:	<i>N/E: Not established N/A: Not available</i>

The data contained in this Safety Data Sheet has been supplied as required by the Chemicals (Hazard Identification and Packaging) Regulations 1993, as amended, for the purpose of protecting the health and safety of industrial and commercial users who are deemed capable of understanding and acting on the information provided.

Please ensure that it is passed to the appropriate person(s) in your company, who are capable of acting on the information.